



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

SCIENCE

A WEEKLY JOURNAL DEVOTED TO THE ADVANCEMENT OF SCIENCE, PUBLISHING THE
OFFICIAL NOTICES AND PROCEEDINGS OF THE AMERICAN ASSOCIATION
FOR THE ADVANCEMENT OF SCIENCE.

FRIDAY, JANUARY 15, 1909

CONTENTS

<i>The American Association for the Advancement of Science:—</i>	
<i>The Problem of Several Bodies—Recent Progress in its Solution:</i> PRESIDENT EDGAR ODELL LOVETT	81
<i>The Phyletic Idea in Taxonomy:</i> PROFESSOR CHARLES E. BESSEY	91
<i>The Darwin Centenary</i>	100
<i>Wolcott Gibbs:</i> PROFESSOR THEODORE WILLIAM RICHARDS	101
<i>Scientific Notes and News</i>	103
<i>University and Educational News</i>	106
<i>Discussion and Correspondence:—</i>	
<i>A Disclaimer:</i> DR. FRANCIS G. BENEDICT.	
<i>The Late Professor Packard's "Guide to the Study of Insects":</i> ALPHEUS APPLETON PACKARD	107
<i>Quotations:—</i>	
<i>The Administration at the University of Illinois</i>	108
<i>Scientific Books:—</i>	
<i>Poulton's Essays:</i> J. P. McM. <i>The Genera of African Plants:</i> W. T. Clark and Diefendorf's <i>Neurological and Mental Diagnosis:</i> A. M.	109
<i>Scientific Journals and Articles</i>	113
<i>Special Articles:—</i>	
<i>The Texas Tertiaries—A Correction:</i> PROFESSOR E. T. DUMBLE	113
<i>The American Association for the Advancement of Science:—</i>	
<i>The Sixtieth Meeting:</i> DR. J. PAUL GOODE	114
<i>The American Mathematical Society</i>	117
<i>Societies and Academies:—</i>	
<i>The Indiana Academy of Science:</i> PROFESSOR J. H. RANSOM. <i>The Philosophical Society of Washington:</i> R. L. FARIS. <i>The Biological Society of Washington:</i> M. C. MARSH. <i>Section of Geology and Mineralogy of the New York Academy of Sciences:</i> DR. CHARLES P. BERKEY. <i>The New York Section of the American Chemical Society:</i> C. M. JOYCE	118

MSS. intended for publication and books, etc., intended for review should be sent to the Editor of SCIENCE, Garrison-on-Hudson, N. Y.

THE AMERICAN ASSOCIATION FOR THE ADVANCEMENT OF SCIENCE

THE PROBLEM OF SEVERAL BODIES: RECENT PROGRESS IN ITS SOLUTION¹

I

THE DIFFERENTIAL EQUATIONS AND THEIR TRANSFORMATIONS

WHITTAKER has formulated the classic problem of three bodies as follows: Three bodies attract each other according to the Newtonian law so that between each pair of particles there is an attractive force which is proportional to the product of the masses of the particles and the inverse square of their distances apart: they are free to move in space and are initially supposed to be moving in any given manner; to determine their subsequent motion.

In mathematical phraseology the problem is to integrate a certain system of the eighteenth order of differential equations which at present are usually written in the so-called canonical form

$$dx_i = \frac{\partial F}{\partial p_i} dt, \quad dp_i = -\frac{\partial F}{\partial x_i} dt,$$

in which t is the time, x_i a coordinate, p_i a component of momentum, and F a certain function of all the x_i and p_i .

In recent investigations, especially those originating in the researches of Poincaré, the canonical equations are preferred to other types because of their simplicity of

¹ Abstract of the address of the vice-president and chairman of Section A—Astronomy and Mathematics—American Association for the Advancement of Science, Baltimore, 1908.